


L Number	Hits	Search Text	DB	Time stamp
-	900	(715/501.1).CCLS.	USPAT; US-PGPUB	2004/11/05 10:15

L Number	Hits	Search Text	DB	Time stamp
22	2	(SGML with benefit) and (link with SGML)	USPAT; US-PGPUB	2004/11/08 13:07
23	37	hypertext with link with sgml	USPAT; US-PGPUB	2004/11/08 13:07
25	37	(hypertext with link with sgml) not ((SGML with benefit) and (link with SGML))	USPAT; US-PGPUB	2004/11/08 13:13
29	21	(code with comment) and (comment with path)	USPAT; US-PGPUB	2004/11/08 13:16
31	42	(comment with path with file) not ((code with comment) and (comment with path))	USPAT; US-PGPUB	2004/11/08 13:16
32	35	((comment with path with file) not ((code with comment) and (comment with path))) and code	USPAT; US-PGPUB	2004/11/08 13:19
33	1	commented with path with file	USPAT; US-PGPUB	2004/11/08 13:19
47	43	((((ram and rom and disk) and (computer adj readable adj medium)) and (generat\$4 with source with code)) and advantage) and ((block adj diagram) with code)	USPAT; US-PGPUB	2004/11/08 13:25
51	64	((rom with ram with (hard adj disk)) with (computer adj readable adj medium)) and ((block adj diagram) with code)	USPAT; US-PGPUB	2004/11/08 13:25
52	52	((rom with ram with (hard adj disk)) with (computer adj readable adj medium)) and ((block adj diagram) with code)) and advantage	USPAT; US-PGPUB	2004/11/08 13:25
-	43	generat\$4 with (source adj code) with (block adj diagram)	USPAT; US-PGPUB	2004/11/05 15:18
-	15	(generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link))	USPAT; US-PGPUB	2004/11/05 11:32
-	9	(generat\$4 with (source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram)	USPAT; US-PGPUB	2004/11/05 10:20
-	11	((source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram)	USPAT; US-PGPUB	2004/11/05 10:23
-	2	((source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram)) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))	USPAT; US-PGPUB	2004/11/05 10:23
-	28	((generat\$4 with (source adj code) with (block adj diagram)) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))) not ((generat\$4 with (source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram))	USPAT; US-PGPUB	2004/11/05 11:03

-	29	(((generat\$4 with (code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link))) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))) not (((source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram)) not (((generat\$4 with (source adj code) with (block adj diagram)) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))) not ((generat\$4 with (source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram))) not (((source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram))) and (((hyper\$text) or (hyper\$link) or link) with code with (diagram or block)))	USPAT; US-PGPUB	2004/11/05 15:24
-	2	generat\$4 with (code) with (data with flow with diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with (diagram or block))	USPAT; US-PGPUB	2004/11/05 15:24
-	7	generat\$4 with (source adj code) with (data with flow with diagram)	USPAT; US-PGPUB	2004/11/05 15:27
-	1	((generat\$4 with (source adj code) with (data with flow with diagram)) not ((generat\$4 with (code) with (data with flow with diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with (diagram or block)))) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link))	USPAT; US-PGPUB	2004/11/05 15:26
-	15	conver\$4 with (source adj code) with ((data with flow with diagram) or (block with diagram))	USPAT; US-PGPUB	2004/11/05 15:28
-	11	((source adj code) with ((block adj diagram) or (data with flow with diagram))) and ((hyper\$text) or (hyper\$link) or link) with code with diagram)	USPAT; US-PGPUB	2004/11/05 15:54
-	33	((generat\$4 with code with (diagram or model)) and (link\$4 with code with (diagram or model))) and (select\$4 with link)	USPAT; US-PGPUB	2004/11/05 16:08
-	17	real adj time adj workshop	USPAT; US-PGPUB	2004/11/05 16:09
-	16	(real adj time adj workshop) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))	USPAT; US-PGPUB	2004/11/05 16:09
-	12	((real adj time adj workshop) not ((generat\$4 with (source adj code) with (block adj diagram)) and (generat\$4 with ((hyper\$text) or (hyper\$link) or link)))) not (((source adj code) with (block adj diagram)) and ((hyper\$text) or (hyper\$link) or link) with code with diagram))) and simulink	USPAT; US-PGPUB	2004/11/05 16:12
-	6	code with ((hyper\$text or (hyper adj text)) adj link) with (diagram or block or model)	USPAT; US-PGPUB	2004/11/08 10:14
-	23	(code with ((hyper\$text or (hyper adj text)) adj link) with (graphic)) not (code with ((hyper\$text or (hyper adj text)) adj link) with (diagram or block or model))	USPAT; US-PGPUB	2004/11/08 10:16

-	30	((code with ((hyper\$text or (hyper adj text)) adj link)) not (code with ((hyper\$text or (hyper adj text)) adj link) with (diagram or block or model)) not (code with ((hyper\$text or (hyper adj text)) adj link) with (graphic))) and ((block or diagram or model) with link)	USPAT; US-PGPUB	2004/11/08 10:36
-	59	((view\$4 with (source adj code)) and ((source adj code) with (hyper\$link or link))) not ((source adj code) with (link or hyper\$link) with (image or graphic or block or diagram or model))) not (code with ((hyper\$text or (hyper adj text)) adj link) with (diagram or block or model)) not (code with ((hyper\$text or (hyper adj text)) adj link) with (graphic))	USPAT; US-PGPUB	2004/11/08 11:48
-	14	(select\$4 with link with highlight\$4 with (diagram or image or model)) not (select\$4 with link with highlight\$4 with block)	USPAT; US-PGPUB	2004/11/08 11:59
-	8	(SGML with advantage) and (link with SGML)	USPAT; US-PGPUB	2004/11/08 13:05



**Web** Results 1 - 10 of about **96,400** for **generate source code link block diagram model**. (0.38 seconds)

### Embedded.com - Automating the generation of code

... the noted optimizations can further improve **code** efficiency ... section includes a table of **generated source** files ... Help browser, hyperlinks in the **source** files **link** ...  
[www.embedded.com/story/OEG20020614S0002](http://www.embedded.com/story/OEG20020614S0002) - 82k - [Cached](#) - [Similar pages](#)

### PASION Summary - free demo

... dependencies can be used describing **source** nodes or ... to automatically **generate** the corresponding **PASION code**. ... equations are used to **generate** the corresponding ...  
[www.raczynski.com/pn/sumduz.htm](http://www.raczynski.com/pn/sumduz.htm) - 22k - [Cached](#) - [Similar pages](#)

### Tutorial 4: A First Look at Generated Code :: Working with Real ...

... invoking make to compile and **link** the **code** ... for this exercise, as it focuses on the **generated source code**. ... caption on the Build button changes to **Generate code**. ...  
[www.mathworks.com/access/helpdesk/help/toolbox/rw/rw\\_ug/rw\\_gs7a.html](http://www.mathworks.com/access/helpdesk/help/toolbox/rw/rw_ug/rw_gs7a.html) - 22k - [Cached](#) - [Similar pages](#)

### The Build Process :: Building an Application (Real-Time Workshop)

... and any **models** referenced by **Model blocks**) and compiles ... the makefile to compile **source code**, **link** object files and libraries, and **generate** an executable ...  
[www.mathworks.com/access/helpdesk/help/toolbox/rw/rw\\_ug/rw\\_g11a.html](http://www.mathworks.com/access/helpdesk/help/toolbox/rw/rw_ug/rw_g11a.html) - 7k - [Cached](#) - [Similar pages](#)

[ More results from [www.mathworks.com](http://www.mathworks.com) ]

### Running MATRIXx SystemBuild Models in LabVIEW/LabVIEW Real-Time ...

... Compiling **Code** in CVI. ... modify the template to have the correct path to the **source** files ... The templates used to **generate** the DLL are based on the default templates ...  
[zone.ni.com/devzone/conceptd.nsf/0/477630B593FAAFA886256D9100776650?opendocument](http://zone.ni.com/devzone/conceptd.nsf/0/477630B593FAAFA886256D9100776650?opendocument) - 37k - [Cached](#) - [Similar pages](#)

### [PDF] Model Level Coupling of Heterogeneous Embedded Systems

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... Our template **code generator** uses the Velocity engine (see <http://jakarta.apache.org/velocity>) to **generate** Java or C++ **source code**. ...  
[www.cse.wustl.edu/~cdgill/RTAS04/TModes2004.pdf](http://www.cse.wustl.edu/~cdgill/RTAS04/TModes2004.pdf) - [Similar pages](#)

### [PDF] Experience with an Advanced Design Flow with OSEK Compliant Code ...

File Format: PDF/Adobe Acrobat - [View as HTML](#)  
 ... System **Generator** and re-compiled with the OSEK- OS/08 **source code** and linked. No manual changes have to be made to the **generated** application **code**. ...  
[www.omimo.be/magazine/01q1/2001q1\\_p006.pdf](http://www.omimo.be/magazine/01q1/2001q1_p006.pdf) - [Similar pages](#)

### JAMES O. HAMBLÉN

... CAD tools are available using the **link** provided at the ... 1 and the schematic automatically **generated** by the ... needed and modify the appropriate **source code** in the ...  
[www.ece.gatech.edu/users/hamblen/ITRANED/CDROM/INDEX.HTM](http://www.ece.gatech.edu/users/hamblen/ITRANED/CDROM/INDEX.HTM) - 40k - [Cached](#) - [Similar pages](#)

### Using Object-Oriented CASE Tools

... iterations of **code** update, compile, **link**, run until a ... text elements to create **block diagrams**, state **diagrams** ... and run scripts to **generate source code** and produce ...  
[www.microgold.com/Stage/WithClassTutorial/WCTutP1S3.htm](http://www.microgold.com/Stage/WithClassTutorial/WCTutP1S3.htm) - 23k - [Cached](#) - [Similar pages](#)

**Final Download: Diagrams Software**

... objects" intelligently **link** shapes into ... **model**, **code** to **diagram** + **Code Generator** -  
**generate code**, **model** to **code** ... synchronization between **source code** and **diagrams** ...  
[www.finaldownload.com/products/diagrams.html](http://www.finaldownload.com/products/diagrams.html) - 101k - [Cached](#) - [Similar pages](#)

Goooooooooooooogle ►

Result Page: 1 2 3 4 5 6 7 8 9 10 **Next**Free! Get the Google Toolbar. [Download Now](#) - [About Toolbar](#) [Search within results](#) | [Language Tools](#) | [Search Tips](#) | [Dissatisfied? Help us improve](#)[Google Home](#) - [Advertising Programs](#) - [Business Solutions](#) - [About Google](#)

©2004 Google